






DETAIL:C
SCALE 2:1




RECOMMEND PCB LAYOUT
THE TOLERANCE UNLESS SPECIFIED IS ±0.05MM






DETAIL:D
SCALE 2:1



A	04/24/17	RELEASED FOR PRODUCTION	
REV	DATE	DESCRIPTION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MM TOLERANCES ARE:		 凱聯科技股份有限公司 Conn-Link Technology Inc.	
DECIMALS	ANGLES		
.X ± .38	± 3°		
.XX ± .25			
.XXX ± .20			
DO NOT SCALE DRAWING		CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE APPROVALS DRAWN Chris 04/24/17 CHECKED Cindy 04/24/17 APPV Jason 04/24/17 SHEET 2 OF 3 SCALE NONE	DESCRIPTION SO-DIMM DDR4, 260Pins, 1.2V, Right Angle SMT, Reverse Type, H=9.2mm Height, Black Color DWG. NO. CSD4-260-0R9 REV. A



PULL OUT DIRECTION →



DETAIL R
4:1



A	04/24/17	RELEASED FOR PRODUCTION	
REV	DATE	DESCRIPTION	
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MM. TOLERANCES ARE:		CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE	
DECIMALS	ANGLES	APPROVALS	DATE
.X ± .38	± 3°	DRAWN Chris	04/24/17
.XX ± .25		CHECKED Cindy	04/24/17
.XXX ± .20		APPV Jason	04/24/17
DO NOT SCALE DRAWING		SHEET 3 OF 3	SCALE NONE
		DWG. NO.	REV.
		CSD4-260-0R9	A



凱聯科技股份有限公司
Conn-Link Technology Inc.

DESCRIPTION SO-DIMM DDR4, 260Pins, 1.2V, Right Angle SMT, Reverse Type, H=9.2mm Height, Black Color